





A GM REPLICA CELL UTILIZING AN ERROR AMPLIFIER CONNECTED TO A CURRENT MIRROR Inventor: Sasan Cyrusian Attorney Docket No. 10808/33 Client Ref. No. 01 P 09245





A GM REPLICA CELL UTILIZING AN ERROR AMPLIFIER CONNECTED TO A CURRENT MIRROR Inventor: Sasan Cyrusian Attorney Docket No. 10808/33 Client Ref. No. 01 P 09245



<u>6</u>



A GM REPLICA CELL UTILIZING AN ERROR AMPLIFIER CONNECTED TO A CURRENT MIRROR

Inventor: Sasan Cyrusian Attorney Docket No. 10808/33 Client Ref. No. 01 P 09245

4/6





FIG. 4



A GM REPLICA CELL UTILIZING AN ERROR AMPLIFIER CONNECTED TO A CURRENT MIRROR Inventor: Sasan Cyrusian Attorney Docket No. 10808/33 Client Ref. No. 01 P 09245

FIG. 5



A GM REPLICA CELL UTILIZING AN ERROR AMPLIFIER CONNECTED TO A CURRENT MIRROR Inventor: Sasan Cyrusian Attorney Docket No. 10808/33 Client Ref. No. 01 P 09245



